COUNTRYSIDE BARNS INC

where quality matters



ABOUT US

Welcome to Countryside Barns! We are a family owned and operated business that was started in 2009. Our company is based upon strong values and strives to maintain a business reputation of honesty, integrity and trust. Every effort is made to not only earn your trust, but to also maintain your trust by "being as good as our word" and "treating our customers the way we would want to be treated."

We believe that building structures of unmatched quality and providing the best customer service are the most important things we can do for you, our



customer. We strive to achieve this by using top quality materials, caring craftsmanship, and personalized service. We also believe every building should be constructed as if we were building it for ourselves. Because we are a manufacturer selling directly to the public, we are able to oversee and manage the entire process from design, to manufacturing, to installation and delivery. This ensures that you, the customer, receive the best service possible.

Countryside Barns offers a full array of quality structures for any property—from storage sheds, garages, chicken coops, garden sheds, man caves, she sheds, private offices, cabins, hunting cabins, and even finished out cabins. We will gladly help you customize your building so that you have a quality structure to meet your specific needs; one that you and your family will enjoy for many years to come.

Find out more about us at www.countrysidebarns.com or stop by and meet one of our friendly, professional sales representatives. Thank you for considering Countryside Barns! We look forward to working with you!





INDEX

4 Lofted Garden Shed	17 Storage Barn
5 Garden Shed	18 Chicken Coop
6 Utility Shed	19 Dog Kennel
7 Golf Cart Garage	20 Skybox
8 Garage	21 Greenhouse
9 Lofted Garage	22 Custom Buildings
10 Cabin	23 Preparing Your Site & Delivery
11 Lofted Cabin	24 Colors
12-13 Finished out Cabins	25 Options
14 Side Porch Cabin	26 Construction Details
15 Lofted Side Porch Cabin	27 Understanding the Difference
16 Lofted Barn/ Country Barn	Back Cover Financing – LP [®] SmartSide [®]

THE LOFTED GARDEN SHED



Standard Features

- ► 2 loft areas
- ► 2 - 2'x3' windows (8'x12', 10'x12', 12'x12' only have 1 window)
- Double 3' Doors (70"w x 71"h opening) ►
- 76.5" sidewalls (Taller option available) ►
- Limited Lifetime Warranty shingles ►
- ► Double top plates on ALL walls
- T-Handle with Lock and Key ►
- 1"x4" Trim on Doors, Windows and Corners ►
- Aluminum Drip Edge ►
- 2"x4" Studs 16" on center ►
- ► 4"x6" Pressure Treated Skids and Pressure Treated Floor Joists 16" on center (heavy-duty floor option available)

Building Heights

Width	Standard	Tall	Width	T
8' W	10' 11"	11' 3"	8' W	T
10' W	11' 3"	11' 7"	10' W	Ī
12' W	11' 7"	11' 11"	12' W	T
14' W	11' 8"	12' 0"	14' W	Ι

Interior Loft Clearance

	Width	Standard	
	8' W	3' 1"	
	10' W	3' 5"	
	12' W	3' 6"	
	14' W	3' 4"	



10'x16' Dark Gray & White Paint (LP® SmartSide®); Black Metal Roof



10'x16' Mahogany Urethane (LP® SmartSide®); Black Metal Roof







THE GARDEN SHED



Standard Features

- 2 2'x3' windows (8'x12', 10'x12', 12'x12' only have 1 window)
- Double 3' Doors (70"w x 71"h opening)
- 76.5" sidewalls (Taller option available)
- Interlocking double top plates on ALL walls
- Limited Lifetime Warranty shingles
- T-Handle with Lock and Key
- 1"x4" Trim on Doors, Windows and Corners
- Aluminum Drip Edge
- 2"x4" Studs 16" on center
- 4"x6" Pressure Treated Skids and Pressure Treated Floor Joists 16" on center (heavy-duty floor option available)

Width	Standard	Tall
8' W	8' 10"	10' 3"
10' W	9' 3"	10' 8"
12' W	9' 8"	11' 1"
14' W	10' 3"	11' 8"









10'x16' Rustic Red & White Metal; Black Metal Roof. (Shown with 4x6 wood ramp.)



10'x16' Custom Color & White Paint (LP® SmartSide®); Brown Metal Roof. (Shown with 4x6 wood ramp.)

THE UTILITY SHED



Standard Features

- Double 3' doors (70"w x 71"h opening)
- T-Handle with lock and key
- Limited Lifetime Warranty shingles
- 76.5" sidewalls (Taller option available)
- 2"x4" studs 16" on center
- Interlocking double top plates on ALL walls
- 4"x6" pressure treated skids and pressure treated floor joists 16" on center (heavy-duty floor option available)
- 1"x4" trim on doors, windows and corners
- Aluminum drip edge

Building Heights

Width	Standard	Tall
8' W	8' 10"	10' 3"
10' W	9' 3"	10' 8"
12' W	9' 8"	11' 1"
14' W	10' 3"	11' 8"



10'x16' Chestnut Brown Urethane (LP® SmartSide®); Brown Metal Roof. (Shown with 4x6 ramp.)



12'x16' Savannah Wicker Vinyl; Burnished Slate Metal Roof



6

THE GOLF CART GARAGE



Standard Features

- 10' wide building: 6' wide by 7' tall roll-up door
- 12' wide building: 9' wide by 7' tall roll-up door
- Limited Lifetime Warranty shingles
- 8' sidewalls
- 2"x4" studs 16" on center
- Interlocking double top plates on ALL walls
- Standard-duty floor 4"x6" pressure treated skids and pressure treated floor joists 16" on center (heavy-duty floor option available)
- 1"x4" trim on doors, windows and corners
- Aluminum drip edge
- Steel diamond plate threshold on all garage door openings

Width	Standard
10' W	10' 8"
12' W	11' 3"





Quote and design with our online Shed Designer



10'x12' Brown Paint (LP® SmartSide®); Brownwood Shingles



10'x16' Driftwood Urethane (LP® SmartSide®); Burnished Slate Metal Roof. (Shown with 4x6 ramp.)

THE GARAGE



Standard Features

- 2 2'x3' windows
- 9' wide by 7' tall roll-up door
- 1-36" exterior 9-lite door (with lock and key)
- Limited Lifetime Warranty shingles
- 8' sidewalls
- 2"x4" studs 16" on center
- Interlocking double top plates on ALL walls
- Heavy-duty floor (4"x6" pressure treated skids and pressure treated floor joists 12" on center with 3/4" LP Prostruct)
- 1"x4" trim on doors, windows and corners
- Aluminum drip edge
- Steel diamond plate threshold on all garage door openings

Width	Standard
12' W	11' 3"
14' W	11' 8"



12'x24' Sage & White Paint (LP® SmartSide®); Forest Green Metal Roof



14'x44' Driftwood Urethane (LP® SmartSide®); Driftwood Shingles. (Shown with 4x8 ramp.)





THE LOFTED GARAGE



Standard Features

- 2 loft areas
- 2 2'x3' windows
- 9' wide by 7' tall roll-up door
- 1-36" exterior 9-lite door with lock and key
- Limited Lifetime Warranty shingles
- 80.5" sidewalls
- 2"x4" studs 16" on center
- Double top plates on all walls
- Heavy-duty floor (4"x6" pressure treated skids and pressure treated floor joists 12" on center with 3/4" LP Prostruct)
- 1"x4" trim on doors, windows and corners
- Aluminum drip edge
- Steel diamond plate threshold on all garage door openings

Building Heights

Width	Standard
12' W	11' 11"
14' W	12' 0"

Interior Loft Clearance

Width	Standard
12' W	3' 6"
14' W	3' 4"





Quote and design with our online Shed Designer



12'x20' Custom Color & White Paint (LP® SmartSide®); Charcoal Metal Roof



14'x32' Taupe Metal; Pewter Metal Roof

THE CABIN



Standard Features

- 3 2'x3' windows
- 1-36" exterior 9-lite door with lock and key
- Limited Lifetime Warranty shingles
- 8' sidewalls
- 2"x4" studs 16" on center
- Interlocking double top plates on ALL walls
- 4"x6" pressure treated skids and pressure treated floor joists 16" on center (heavy-duty floor option available)
- 4' porch with treated posts and decking (included in building length)
- 1"x4" trim on doors, windows and corners
- Aluminum drip edge

Width	Standard
8' W	10' 3"
10' W	10' 8"
12' W	11' 3"
14' W	11' 8"





14'x32' Taupe & Burnished Slate Metal; Burnished Slate Metal Roof. (Shown with wainscoting.)



12'x24' Barn Red, White, & Burnished Slate Paint (LP® SmartSide®); Burnished Slate Metal Roof. (Shown with insulated windows, double 9lite doors, & wainscoting.)



THE LOFTED CABIN



Standard Features

- 2 loft areas
- 6 2'x3' windows
- 1-36" exterior 9-lite door with lock and key
- Limited Lifetime Warranty shingles
- 80.5" sidewalls
- 2"x4" studs 16" on center
- Double top plates on ALL walls
- 4"x6" pressure treated skids and pressure treated floor joists 16" on center (heavy-duty floor option available)
- 6' porch with treated posts, decking and railing (included in building length)
- 1"x4" trim on doors, windows and corners
- Aluminum drip edge

Building Heights

Width	Standard
10' W	11' 7"
12' W	11' 11"
14' W	12' 0"

Interior Loft Clearance

Width	Standard	
10' W	3' 5"	
12' W	3' 6"	
14' W	3' 4"	





Quote and design with our online Shed Designer



12'x32' Driftwood Urethane (LP® SmartSide®); Burnished Slate Metal Roof. (Shown with insulated windows & white flower boxes.)



14'x44' Pewter & Charcoal Metal; Pewter Metal Roof. (Shown with insulated windows & wainscoting.)

THE FINISHED OUT CABINS







MANY FINSHED OPTIONS ARE AVAILABLE FOR YOUR BUILDING!

- Electrical (lighting/fans/outlets/etc.)
- Plumbing (toilet/vanity/shower/etc.)
- Wood Laminate Flooring
- Fiberglass Insulation
- Spray Foam Insulation
- Walls, Windows and Doors finished and trimmed
- Insulated Windows
- Heating and Air Conditioning Systems










THE FINISHED OUT CABINS











THE SIDE PORCH CABIN





14'x40' Driftwood Urethane (LP® SmartSide®); Burnished Slate Metal Roof. (Shown with flower boxes & insulated windows.)

Standard Features

- 1-36" exterior 9-lite door with lock and key
- Limited Lifetime Warranty metal roofing
- 8' sidewalls
- 2"x4" studs 16" on center
- Interlocking double top plates on ALL walls
- 4"x6" pressure treated skids and pressure treated floor joists 16" on center (heavy-duty floor option available)
- 6' porch with treated posts and decking runs entire length of building (in addition to building size)
- 1"x4" trim on doors, windows and corners
- Aluminum drip edge

Width	Standard
8' W	10' 3"
10' W	10' 8"
12' W	11' 3"
14' W	11' 8"



10'x16' Light Gray & White Paint (LP® SmartSide®); Black Metal Roof. (Shown with insulated windows.)




14'x40' Chestnut Brown Urethane (LP® SmartSide®); Rustic Red Metal Roof. (Shown with insulated windows & 7' porch.)



THE LOFTED SIDE PORCH CABIN





Standard Features

- 2 loft areas
- 1-36" exterior 9-lite door with lock and key
- Limited Lifetime Warranty metal roofing
- 80.5" sidewalls
- 2"x4" studs 16" on center
- Double top plates on ALL walls
- 4"x6" pressure treated skids and pressure treated floor joists 16" on center (heavy-duty floor option available)
- 6' porch with treated posts and decking runs entire length of building (in addition to building size)
- 1"x4" trim on doors, windows and corners
- Aluminum drip edge

Building Heights

Width	Standard
8' W	11' 5"
10' W	11' 9"
12' W	12' 0"
14' W	12' 0"

Interior Loft Clearance

Width	Standard
8' W	3' 1"
10' W	3' 5"
12' W	3' 6"
14' W	3' 4"









14'x44' Navy & White Paint (LP® SmartSide®); Black Metal Roof. (Shown with insulated windows.)



12'x28' Driftwood Urethane (LP® SmartSide®); Burnished Slate Metal Roof. (Shown with insulated windows.)

THE LOFTED BARN/COUNTRY BARN



Standard Features

- 2 loft areas
- 2 2'x3' windows Country Barn only
- Double 3' doors (70"w x 71"h opening)
- T-Handle with lock and key
- Loft door
- Limited Lifetime Warranty shingles
- 76.5" sidewalls (taller option available)
- 2"x4" studs 16" on center
- Double top plates on ALL walls
- 4"x6" pressure treated skids and pressure treated floor joists 16" on center (heavy-duty floor option available)
- 1"x4" trim on doors, windows and corners
- Aluminum drip edge

Building Heights

Width	Standard	Tall
8' W	10' 11"	11' 3"
10' W	11' 3"	11' 7"
12' W	11' 7"	11' 11"
14' W	11' 8"	12' 0"

Interior Loft Clearance

Width	Standard
8' W	3' 1"
10' W	3' 5"
12' W	3' 6"
14' W	3' 4"



10'x12' Lofted Barn – Barn Red & White Paint (LP® SmartSide®); Brilliant White Metal Roof. (Shown with 4x6 ramp.)



12'x16' Country Barn – Driftwood Urethane (LP® SmartSide®); Burnished Slate Metal Roof. (Shown with 4x6 ramp.)





THE STORAGE BARN



Standard Features

- Double 3' doors (70"w x 71"h opening)
- 8'x12' has a single 4' door (46"w x 71"h opening)
- T-Handle with lock and key
- Limited Lifetime Warranty shingles
- 48" sidewalls
- 2"x4" studs 16" on center
- Double top plates on ALL walls
- 4"x6" pressure treated skids and pressure treated floor joists 16" on center (heavy-duty floor option available)
- 1"x4" trim on doors, windows and corners
- Aluminum drip edge

Width	Standard
8' W	8' 6"
10' W	8' 11"
12' W	9' 2"





Quote and design with our online Shed Designer



12'x24' Sage & White Paint (LP® SmartSide®); Charcoal Metal Roof



10'x12' Barn Red & White Paint (LP[®] SmartSide[®]); Black Shingles

THE CHICKEN COOP





Roosting Bars



Nesting Boxes



Door to Outside for Chickens

7'x8', 9'x8', & 11'x8' Barn Red & White Paint (LP® SmartSide®); Brilliant White Metal Roof

Standard Features

- 3 18"x23" windows
- 1 30"x68" walk-in door
- T-Handle lock and key
- 1 12"x18" flip down chicken door
- Limited Lifetime Warranty metal roofing
- 48" sidewalls
- 2"x4" studs 16" on center
- Double top plates on ALL walls
- 4"x6" skids notched with 2'x4' floor joists 16" on center
- Roosting bars
- Nesting boxes
- Vented ridge

Building Heights

Width	Standard
7' W	7' 8"
9' W	8' 7"
11' W	8' 11"



9'x8' Barn Red & White Paint (LP® SmartSide®); Black Metal Roof



7'x8' Honey Gold Urethane (LP[®] SmartSide[®]); Burnished Slate Metal Roof. (Shown with brown windows.)





Quote and design with our online Shed Designer


THE DOG KENNEL



Let us help you design it your way!

Some of the options include:

- Gates
- Doors
- Layout
- Interior finish options
- And more...





8'x12' Light Gray & Charcoal Paint (LP® SmartSide®); Charcoal Metal Roof



8'x12' Light Gray & Charcoal Paint (LP® SmartSide®); Charcoal Metal Roof



THE SKYBOX



Standard Features

- 6'x6' Skybox
- Interior height of 6'6"
- 12 shooting windows
- Tinted plexiglass windows
- Sound board insulated
- Blacked out
- Carpet floor
- Shelf
- 8' stand (all treated lumber)
- Trap-door entry with heavy duty ladder

Additional Options

- 10' stand
- 12' stand
- 2' Entry door with porch and steps with railing
 - 8' stairs with door
 - 10' stairs with door
 - 12' stairs with door





Custom Color Paint (LP®

SmartSide®); Black Metal Roof



Chestnut Brown & Driftwood Urethane (LP® SmartSide®); Black Metal Roof



Chestnut Brown Urethane (LP® SmartSide®); Black Metal Roof



THE GREENHOUSE



Standard Features

- 1 36" Exterior transom door with lock and key
- Double thick 8mm Polycarbonate translucent panels
- 76.5" sidewalls
- Wrap-around planting bench
- 2"x4" studs 16" on center
- Double top plates on ALL walls interlock at corners
- 4"x6" Pressure Treated Skids and Pressure Treated Floor Joists 16" on center (Heavy Duty Floor option available)
- 1"x4" Trim on doors, windows, and corners
- Aluminum Drip Edge



10'x20' Driftwood Urethane (LP® SmartSide®); Burnished Slate Metal Roof



8'x12' Chestnut Brown Urethane (LP® SmartSide®); Black Metal Roof



10'x12' Ocean Blue & White Paint (LP[®] SmartSide[®]); Charcoal Metal Roof



CUSTOM BUILDINGS









PREPARING YOUR SITE & DELIVERY PROCESS

SITE PREPARATION

It is the customer's responsibility to obtain any/all necessary permits and follow zoning requirements. Countryside Barns recommends using a 4"–5" gravel base for your building. *(see picture on right)* Note: Watch video on website



The site where the building will be placed should be level and ready for the building prior to delivery.

DELIVERY

To offer you the best possible delivery service, we oversee and control the entire process—from scheduling the delivery date and time, to owning our own delivery equipment and employing our own professional delivery drivers. Using our state-of-the-art equipment, your new building will be carefully placed on your readied site by our delivery experts. We use a special machine, called the Mule, that minimizes the impact on your manicured lawn.

Countryside Barns is glad to offer FREE delivery and set-up of your building within 150 miles of our main office and manufacturing facility in Eureka, IL. Upon completion of your building, we will call you to schedule a delivery date and time.

STANDARD FREE DELIVERY AND SET-UP REQUIRES:

1. Ability to access your location.

2. Any openings we need to take your building through should be at least one foot wider than the building width.

3. A relatively level site for your building.



CHOOSE YOUR COLOR

URETHANE COLORS -

Backed by a 10-Year, No-Fade Limited Warranty.



PAINTED COLORS -

Painted price includes your choice of 2 colors (siding color and trim color).

Superior Sherwin Williams paint backed by a Lifetime Limited Warranty.

White	Light Gray	Dark Gray	Black	Sage	Seagrass	Oxford Blue
Ocean Blue	Navy	Barn Red	Beige	Tan	Clay	Taupe
	Color Match	Get a color match, or choose your own custom color!				
Brown	Custom					

SHINGLE COLORS -

Architectural Shingles - Limited Lifetime Warranty with 130-MPH Wind Resistance Limited Warranty.



METAL COLORS -

Limited Lifetime Paint Warranty.

Black	Charcoal	Gray	Brilliant White	Forest Green	Rustic Red	Taupe	
Burnished Slate	Brown	Pewter	Galvalume	Light Stone	Tan	lvory	

VINYL COLORS -

High Quality Vinyl Siding with Limited Lifetime Warranty.

<u> </u>						
0 11 0						0
Granite Gray	Sterling Gray	Natural Clay	Savannah Wicker	Desert Tan	Heritage Cream	Snow White

Actual colors may vary from the printed copy.

Please call or stop in the office for additional and custom color options.



OPTIONS



2'x3' Window w/ Flower Box and Shutters



2' Aluminum Ramps





36" Exterior Door (6 panel) 36" Exterior Door w/ Glass (9-lite)



Seamless Rubber Flooring



9'x7' Roll Up Garage Door



4'x6' Wood Ramp



4'x8' Wood Ramp



3' Aluminum Ramps



Wood Shutters







Decorative Door



9'x7' Insulated Overhead Garage Door

- Shutters (per set) ►
- Flower Box ►
- 2'x3' Window
- Single 4' Door
- Double 3' Doors
- Loft Door
- 36" Exterior Door (6 panel)
- 36" Exterior Door w/ Glass (9-lite) ►
- 9'x7' Roll Up Garage Door ►
- 9'x7' Insulated Overhead Garage Door ►
- 9'x7' Insulated Overhead Decorative Garage Door
- 4'x6' Wood Ramp
- 4'x8' Wood Ramp
- 6'x6' Poly Ramp
- 2' Wide Aluminum Ramps ►
- 3' Wide Aluminum Ramps
- **Taller Sidewalls**
- Heavy Duty Floor (Floor joist 12" on center and 3/4" flooring)
- ► Rubber Flooring

FLOWER BOX & SHUTTER COLORS



Want a workbench or shelving installed in your building? Please talk to your sales representative about adding this option!



CONSTRUCTION DETAILS



ROOF SYSTEM ALL roofs are built with trusses every 24" on center and 7/16" sheathing with Limited Lifetime warranty shingles or metal.



TRUSS PLATES We use steel truss plates on all trusses and door frames.



LOFT AREAS

All lofted buildings have two loft areas – one on each end of the building with an open access area between the two lofts. Lofts are built with $2^{*}x4^{*}$ or $2^{*}x6^{*}$ loft joists and sheathed on top to make a nice loft floor.



FRAME CONSTRUCTION Framing consists of 2"x4" studs every 16" on center.



DOUBLE TOP PLATES ALL walls are constructed with double top plates that interlock with adjacent walls. (Loft joists interlock on lofted style buildings.)



DOORS Our 2"x4" reinforced doors are designed to keep out rain and rodents. Key locked for your protection.



TREATED SKIDS We use 4"x6" treated skids that are notched to securely hold the floor joists.



FLOOR CONSTRUCTION With our 4"x6" skids, treated 2"x4" or 2"x6" floor joists, and 5/8" or 3/4" LP Prostruct flooring, we have one of the strongest floor systems in the industry. Our floors should never rot out!



DIAMOND PLATE THRESHOLD All buildings have a steel diamond plate threshold to protect the entrance and keep moisture out.

UNDERSTANDING THE DIFFERENCE



UNDERSTAND THE DIFFERENCE

A	Choice of metal or shingle roof	H	5/8" treated tongue & groove LP Prostruct Flooring
В	 Exposed nails are ring-shanked and galvanized for rust prevention LP SmartSide siding (5/50-year limited warranty) on all painted and urethane buildings. Vinyl and metal siding come with a limited lifetime warranty 		Diamond Plate threshold on all door openings
С			2x4 or 2x6 pressure treated floor joists set 16" on center - Heavy duty option available
D			$4 {\rm x6}$ treated skids notched so that floor joists are locked into the skids
E	2x4 studs - 16" on center	C	Working windows that lock - include screens
F	Double studs at every siding seam	M	Steel gusset plates on trusses
G	Double top plate on ALL walls	N	Premium quality prime grade lumber

LP OUTDOOR BUILDING SOLUTIONS



A Warranty That Protects Your Peace of Mind

LP® Outdoor Building Solutions® treated engineered wood products offer outstanding durability and beauty to give you quality you can see inside and out. And all LP® SmartSide® products are backed by one of the best warranties* in the industry.



Treated to the Core with SmartGuard®

Every LP[®] SmartGuard[®] product is manufactured with our proprietary SmartGuard process to help resist damage from harsh environments, fungal decay and termites. Learn more about the four key components of protection by visiting www.LPShed.com.

WAXES



RESIN-SATURATED OVERLAN

ADVANCED BINDERS

See LPShed.com for complete warranty details



Tested To The Extreme In Hilo, Hawaii Since 1996

LP SmartSide products have proven their toughness after 20 years of being subjected to the harsh jungle environment.

Intense Humidity

170" Annual Rainfall

High Formosan Termite Population

Ideal Conditions for Fungal Decay



MAKE OWNING A SHED SIMPLE WITH RTO NATIONAL

FlexLease

- · Guaranteed approval with no credit check
- · Flexible terms
- You own your building at the end of term
- · Refer a friend for a free month's rent

NO MONEY DOWN FINANCING*

- Instant approval process
- · Zero down delivers
- · Financing up to \$20,000 with interest rates as low as 9.99%
- · Flexible terms
- *with approved credit

COUNTRYSIDE BARNS INC

1195 Cruger Rd | Eureka, IL 61530 phone: (800) 467-4614 email: sales@countrysidebarns.com web: www.countrysidebarns.com